

Demo Questions

Oracle 1Z0-134 Exam

Oracle WebLogic Server 12c Advanced Administrator II

Thank you for downloading 1Z0-134 Exam PDF

Question #1 Topic 1

I am configuring the security policy for my JMS module. I am specifying some security conditions for the module.

Which two security conditions are valid in this context? (Choose two.)

- A. The JMS module can be accessed only between 1 pm and 6 pm.
- B. The JMS module should throw a custom security exception on invalid access.
- C. The JMS module can process only 50 messages at a time.
- D. The JMS module can be accessed only by users belonging to the Operators group.
- E. The JMS module can be accessed in a receive-only mode.

Correct Answer: AD

There are two security conditions:

* time-constrained

* By Group or User

Reference:

http://docs.oracle.com/html/E24401_02/taskhelp/jms_modules/modules/ConfigureJMSModuleSecurityPolicies.html

Question #2 Topic 1

Review the digital certificate below.

Certificate:

Data:

```
Version: 3 (0x2)
Serial Number: 660557372 (0x275f4e3c)
Signature Algorithm: md5WithRSAEncryption
Issuer: CN = wls-sysadm
Validity
  Not Before: Feb 20 13:35:19 2013 GMT
  Not After : Feb 20 13:35:19 2014 GMT
Subject: CN=wls-sysadm
Subject Public Key Info:
  Public Key Algorithm: rsaEncryption
  Public-Key: (512 bit)
  Modulus:
    00:df:cc:8a:fe:91:50:6d:80:56:7d:f1:d0:d4:f1:
    c6:e3:f3:6f:cc:22:39:2d:ef:ac:7c:6c:4b:56:81:
    1c:de:d0:7d:ad:ea:47:63:98:15:74:37:66:dd:a1:
    64:09:2e:56:ba:65:cl:b8:15:55:ac:b5:09:fe:d6:
    32:0f:0c:7f:ff
  Exponent: 65537 (0x10001)
X509v3 extensions:
  X509v3 Subject Key Identifier:
    EA:4C:C3:08:B4:60:6A:B6:99:B4:15:70:E9:24:F2:18:97:46:E9:07
Signature Algorithm: md5WithRSAEncryption
3b:2f:0d:90:bb:82:dc:16:f2:8f:00:c3:40:d8:a5:3f:4b:39:
8f:52:27:b1:4d:e1:f4:85:f5:29:c8:ef:b4:99:06:ee:cd:96:
5c:6d:c8:a2:7b:1e:61:03:a1:c0:60:c8:90:b3:f9:ff:bf:82:
49:37:53:08:dd:c9:5f:ec:0b:a9
```

Based on what the certificate contains, which statement is true? (Choose the best answer.)

- A. It is a self-signed digital certificate with no certification chain.
- B. It is an authentic digital certificate with a valid certification chain.
- C. It is a digital certificate for a private key with a valid certification chain.
- D. It is an authentic root CA certificate with a valid certification chain.

Correct Answer: A

Incorrect Answers:

C: This is 512-bit Public Key, not a private key.

Note: The subject key identifier extension provides a means of identifying certificates that contain a particular public key.

Question #3 Topic 1

You want to create a WebLogic Server (WLS) Work Manager with a Response Time Request Class of one second. You start to create the following WLST script:

```

connect('weblogic', 'weblogic1', 't3://localhost:7010')
edit()
startEdit()
cd('edit:/SelfTuning/wls_domain/WorkManagers')
create('MyWorkManager')
cd('MyWorkManager')
cmo.addTarget(getMBean('/Servers/ManagedServer'))
cd('edit:/SelfTuning/wls_domain/ResponseTimeRequestClasses')
create('MyResponseTime')
cd('MyResponseTime')
cmo.setGoalMs(1000)
### Missing Sequence Here ###
save()
activate()
disconnect()

```

Which two can replace the missing sequence to finish this script? (Choose two.)

- A. `cmo.addTarget(getMBean('/Servers/ManagedServer'))`
`cd('edit:/SelfTuning/wls_domain/WorkManagers/MyWorkManager')`
`cmo.setResponseTimeRequestClass(getMBean`
`('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))`
- B. `managedServer=getMBean('/Servers/ManagedServer')` `cmo.addTarget(managedServer)`
`cmo.setWorkManaqer(getMBean('/SelfTuning/wls_domain/WorManagers/MyWorkManager'))`
- C. `cd('edit:/Servers/ManagedServer')` `cmo.addTarget(getMBean`
`('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))` `cmo.addTarget`
`(getMBean('/SelfTuning/wls_domain/WorkManagers/MyWorkManager'))`
- D. `managedServer=getMBean('/Servers/ManagedServer')` `cmo.addTarget(managedServer)`
`cd('edit:/SelfTuning/wls_domain/WorkManagers/MyWorkManager')`
`cmo.setResponseTimeRequestClass(getMBean`
`('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime'))`
- E. `cmo.addTarqet('/Servers/ManagedServer')`
`cd('/SelfTuning/wls_domain/WorkManagers/MyWorkManager')`
`cmo.setResponseTimeRequestClass`
`('/SelfTuning/wls_domain/ResponseTimeRequestClasses/MyResponseTime')`

Correct Answer: AD

Reference:

http://docs.oracle.com/cd/E12839_01/apirefs.1111/e13952/pagehelp/J2EEappworkresponsetimerequestclassconfigtitle.html

Question #4Topic 1

You are creating and configuring a production WebLogic Server (WLS) domain that is highly available. Which three WebLogic Server features allow you to best accomplish this requirement? (Choose three.)

- A. Multiple standalone managed servers
- B. Load Balancer
- C. Cluster
- D. DNS caching
- E. Whole-server migration
- F. Machine migration

Correct Answer: *BCE*

B Load balancing is the even distribution of jobs and associated communications across the computing and networking resources in your environment.

C: In a WebLogic Server cluster, application processing can continue when a server instance fails.

E: Migration in WebLogic Server is the process of moving a clustered WebLogic Server instance or a component running on a clustered instance elsewhere if failure occurs. This is called Whole-server migration.

Reference:

http://docs.oracle.com/cd/E23943_01/core.1111/e10106/aa.htm#ASHIA4083

Question #5 *Topic 1*

You are troubleshooting an issue with a WLS data source. However, your attempt to execute a manual test on the connection pool fails when you invoke the `testPool()` method on the corresponding `JDBCDataSourceRuntimeMBean`.

Which configuration condition would contribute to the failure of executing the test? (Choose the best answer.)

- A. The `TestTableName` property is either not set or is set to an invalid SQL statement.
- B. The `TestFrequencySeconds` property is set to a value greater than 0.
- C. The `TestReservedConnections` property is enabled.
- D. The `ManualTestEnabled` property is set to false.
- E. The `ConnectionReserveTimeoutSeconds` property is set to a value other than -1.

Correct Answer: *A*

`testPool` tests the connection pool in the data source by reserving and releasing a connection from it.

`TestTableName` is the name of the database table to use when testing physical database connections. This name is required when you specify a Test Frequency and enable Test Reserved Connections, Test Created Connections, and Test Released Connections.

Reference:

http://docs.oracle.com/cd/E13222_01/wls/docs100/wlsmbearref/core/index.html